

PREMISE WIRING PRODUCTS
FIBER OPTIC CONNECTIVITY
PERIPHERAL CABLES
O.E.M. /CUSTOM CABLES
AUDIO /VIDEO CABLES
BULK CABLE & CONNECTORS

GLOBAL SOURCING CALIFORNIA MANUFACTURING



Shaxon Industries, Inc.

Customer Service, Quality Products & Custom Manufacturing Since 1978

4852 E. La Palma Ave. Anaheim CA 92807 • Phone: (800) 345-8295 • Fax: (800) 345-5106 • www.shaxon.com



- I20 Category 5e, 6 & 6A Cable**
- I20 Industrial & 25-Pair Trunk Cable**
- I21 Fiber Optic Cable**
- I22 PERFORMANCE PLUS™ Audio/Video Cable**
- I24 Communications Cable**
- I26 Flat Satin Phone Cable**

CATEGORY 5e, 6 & 6A CABLE

Shaxon's UL listed CAT 5e, 6 and 6A cables feature quality construction and compliance with industry standards.
Standard put-up: 1000ft pull boxes
CAT 5e & CAT 6: Replace xx with BK for black, BU for blue, GN for green, GY for gray, OR for orange, PK for pink, PR for purple, RD for red, WT for white or YL for yellow.

CATEGORY 5e



PVC Stranded, Unshielded 24AWG

UL624-4GY 2-pair, gray
UL624-8xx 4-pair

Plenum Solid, Unshielded 24AWG

UL625P-8xx 4-pair

PVC Solid, Unshielded 24AWG

UL625-8xx 4-pair

PVC Stranded, Shielded 24AWG

UL624S-8GY 4-pair, gray
UL624S-8BK 4-pair, black
UL624S-8RD 4-pair, red

PVC Solid, Shielded 24AWG

UL625S-8xx 4-pair

PVC Stranded, Shielded 26AWG

UL626S-8xx 4-pair

CATEGORY 6



PVC Stranded, Unshielded 24AWG

UL724-8xx 4-pair

Plenum Solid, Unshielded 23AWG

UL725P-8xx 4-pair

PVC Solid, Unshielded 23AWG

UL725-8xx 4-pair

PVC Stranded, Shielded 26AWG

UL726S-8xx 4-pair

PVC Solid, Shielded 24AWG

UL725SP-8xx 4-pair

PVC Solid, Shielded 23AWG

UL725S-8xx 4-pair

CATEGORY 6A

Replace xx with BU for blue, GY for gray or WT for white.

PVC Unshielded

UL824-8xx 4-pair, 24AWG, stranded
UL825-8xx 4-pair, 23AWG, solid

PVC Shielded

UL826S-8xx 4-pair, 26AWG, stranded
UL825S-8xx 4-pair, 23AWG, solid



Plenum Solid, Unshielded 23AWG

UL825P-8xx 4-pair

Plenum Solid, Shielded 23AWG

UL825SP-8xx 4-pair

CATEGORY 5e



Shaxon's all-weather and industrial cable is UV resistant and features quality construction and compliance with industry standards.

PVC Solid, UV-rated, 24AWG

UV625-8BK-500 4-pair, 500ft box, black
UV625-8GY 4-pair, 1000ft box, gray

PVC Solid, UV-rated, Gel-Filled (Waterproof) 24AWG

UL625I-8BK 4-pair, black
UL625IC-8BK 4-pair, armored, black
UL625IA-8BK 4-pair, armored, aluminum-shielded, black

25-Pair Trunk Cable



Shaxon's UL listed Category 3, and 5e rated 25-pair cable features quality construction and compliance with industry standards. More pair counts are available. Contact your sales representative for details.

Category 3 Solid, 24AWG

P2P2524UN3 25-pair PVC, gray
P2P2524MS3 25-pair PVC shielded, gray
T2P2524UN3 25-pair plenum, gray

Category 5e Solid, 24AWG

P2P2524UN5 25-pair PVC, gray
T2P2524UN5E 25-pair plenum, gray

FIBER OPTIC CABLE

SIMPLEX CABLE

Shaxon's UL listed Simplex bulk cable features quality zip-cord construction and compliance with industry standards.

Single-mode 9/125 μ m

FC01S0AG 3.0mm PVC cable, yellow
FC01S0BG 3.0mm plenum cable, yellow

FC01M180AG 1.8mm PVC cable, yellow
FC01M180BG 1.8mm plenum cable, yellow

Multi-mode 62.5/125 μ m

FC01S6AA 3.0mm PVC cable, orange
FC01S6BA 3.0mm plenum cable, orange

Multi-mode 50/125 μ m

FC01S5AA 3.0mm PVC cable, orange
FC01S5BA 3.0mm plenum cable, orange

DUPLEX CABLE

Shaxon's UL listed Duplex bulk cable features quality zip-cord construction and compliance with industry standards.

Single-mode 9/125 μ m

FC02Z0AG 3.0mm PVC zip-cord, yellow
FC02Z0BG 3.0mm plenum zip-cord, yellow

FC02M180AG 1.8mm PVC zip-cord, yellow
FC02M180BG 1.8mm plenum zip-cord, yellow

Multi-mode 50/125 μ m

FC02Z5AA 3.0mm PVC zip-cord, orange
FC02Z5BA 3.0mm plenum zip-cord, orange
FC02M185AA 1.8mm PVC zip-cord, orange
FC02M185BA 1.8mm plenum zip-cord, orange

Multi-mode 62.5/125 μ m

FC02Z6AA 3.0mm PVC zip-cord, orange
FC02Z6BA 3.0mm plenum zip-cord, orange
FC02M186AA 1.8mm PVC zip-cord, orange
FC02M186BA 1.8mm plenum zip-cord, orange

Multi-mode 50/125 μ m, 10 Gigabit

FC02Z7AQ 3.0mm 10-Gig PVC zip-cord, aqua
FC02Z7BQ 3.0mm 10-Gig plenum zip-cord, aqua

Multi-mode 100/140 μ m

FC02Z1EA 3.0mm PVC zip-cord, green

SHAXON IS THE PLACE FOR YOUR FIBER NEEDS:

Looking for specialty fiber cable? Contact your sales representative about our aerial, hybrid armored and LSZH (Low Smoke Zero Halogen) cable. (800) 345-8295

PERFORMANCE PLUS™ AUDIO/VIDEO CABLE

PERFORMANCE PLUS™ AUDIO CABLE

Shaxon's PERFORMANCE PLUS™ audio/video cable line features a durable, high-flex rubberized jacket for high-end audio/video performance. Our composite cable features an innovative zip construction facilitating superior cable appearance, organization and handling.

For single audio assemblies, pre-wiring

PM-A-BK (1) 1-pair with drain, 24AWG, black, 1000ft spool

For dual audio assemblies, pre-wiring

PM-AA-BK (2) 1-pair with drain, 24AWG black, 500ft spool

For dual audio with single video assemblies


PM-AAV-BK (2) 1-pair with drain, 24AWG +
(1) 75Ω coax video, black, 500ft spool

PM-AAV-BG (2) 1-pair with drain, 24AWG +
(1) 75Ω coax video, beige, 500ft spool

For dual audio with SVHS video assemblies

PM-AASVHS-BK (2) 1-pair with drain 24AWG +
(1) 75Ω SVHS coax video, black, 500ft spool

PM-AAVVV-BK (2) 1-pair with drain 24AWG +
(3) 75Ω coax video, black, 500ft spool



PERFORMANCE PLUS™ SUPER-FLEX SPEAKER CABLE

Standard put-up: 500ft spool

PMSP-2A12-BK 12AWG, 2C standard, black

PMSP-2A14-BK 14AWG, 2C standard, black

PMSP-2A16-BK 16AWG, 2C standard, black

PMSP-4A16-BK 16AWG, 4C standard, black



PERFORMANCE PLUS™ SPEAKER CABLE

Replace zzz with 25, 50, 100, 500 or 1000 to indicate length.

PBSC12CP-zzz 12AWG, spool

PBSC14CP-zzz 14AWG, spool

PBSC16CP-zzz 16AWG, spool

PBSC18CP-zzz 18AWG, spool

PBSC20CP-zzz 20AWG, spool

PBSC22CP-zzz 22AWG, spool

PBSC24CP-zzz 24AWG, spool



PERFORMANCE PLUS™ FLAT SPEAKER CABLE

Two conductor speaker wire for under carpet and anywhere thickness is a concern

Replace zzz with 30 or 250 to indicate length.

PBFSC14CP-zzz 14AWG, spool

PBFSC16CP-zzz 16AWG, spool

PBFSC18CP-zzz 18AWG, spool



PERFORMANCE PLUS™ ULTRAFLEX SPEAKER CABLE

Heavy duty copper speaker 2C, ultra flexible construction

Replace zzz with 30 or 250 to indicate length.

PBUFSC10CP-zzz 10AWG, spool

PBUFSC12CP-zzz 12AWG, spool



PERFORMANCE PLUS™ AUDIO/VIDEO CABLE

PERFORMANCE PLUS™ VIDEO & VIDEO COMPONENT CABLE

Shaxon's unique PERFORMANCE PLUS™ audio/video cable line features a durable, high-flex rubberized jacket for high-end video performance. Our composite cables feature an innovative zip construction facilitating superior cable appearance, organization and handling.

For single 75Ω video assemblies

PM-V-BK (1) 75W coax video with high-flex jacket, black, 1000ft spool

For composite 75Ω video assemblies

PM-VVV-BK (3) 75W coax video with high-flex jacket, black, 500ft spool

For SVHS 75Ω video assemblies

PM-SVHS-BK (2) 75W coax video with high-flex jack, black 1000ft spool



RG-6 2.2GHZ SATELLITE CABLE

Standard put-up: 1000ft spool

PMR622QS1000 RG6 22AWG quad shield satellite cable

PM2R622QS1000 Dual RG6 22AWG quad shield satellite cable



RG-6 CATV VIDEO SIGNAL DISTRIBUTION CABLE

Standard put-up: 1000ft spool

PAR618G1000 RG6 18AWG double shield CATV cable

PAR618GQS1000 RG6 18AWG quad shield CATV cable



RG-6 CATV PLUS CATEGORY 5E 350MHZ DUAL CABLE

Standard put-up: 1000ft spool

PMR618GC5E1000 RG6 18AWG double shielded CATV plus CAT 5e 350MHz network cable



COMMUNICATIONS CABLE

Shaxon Industries, Inc. manufactures and stocks a complete line of standard and specialty bulk computer cable. All of our bulk cable types can also be manufactured as assemblies to standard or custom requirements.

SCSI COMPATIBLE COMPUTER CABLE

Features low cap UL2919 SCSI shielded cable

28AWG Cable with Braid Shield

For SCSI and high speed network cables

- P3P0828BS3** 8-pair PVC cable, gray
- P3P1328BS1** 13-pair PVC cable, black
- P3P1328BS3** 13-pair PVC cable, gray
- P3P1328BS4** 13-pair PVC cable, teal green
- P3P1328BS5** 13-pair PVC cable, blue
- P3P18528BS1** 18.5-pair PVC cable, black
- P3P18528BS3** 18.5-pair PVC cable, gray
- P3P2528BS1** 25-pair PVC cable, black
- P3P2528BS3** 25-pair PVC cable, gray
- P3P3428BS1** 34-pair PVC cable, black
- P3P3428BS3** 34-pair PVC cable, gray



30AWG Cable with Braid Shield

For SCSI 3 and SCSI 5 cables

- P3P3430BS1** 34-pair PVC cable, black

PAIRED COMPUTER CABLE

Shaxon's paired UL2464 computer cable features a mylar shield and 24AWG stranded, paired inner conductors. Pair counts for various cable types are stocked in Anaheim, CA.

24AWG Shielded Cable

For VGA, RS232, RS530, RS449 high speed network cables

- P1P0324MS3** 24AWG, 3-pair, gray
- P1P4524MS3** 24AWG, 4.5-pair, gray
- P1P7524MS3** 24AWG, 7.5-pair, gray
- P1P12524MS3** 24AWG, 12.5-pair, gray
- P1P18525MS3** 24AWG, 18.5 pair, gray



RIBBON CABLE

For serial, floppy, IDE and SCSI cables

- RC-C09-28-GY** 9C 0.05in 28AWG stranded
- RC-C15-28-GY** 15C 0.05in 28AWG stranded
- RC-C25-28-GY** 25C 0.05in 28AWG stranded
- RC-C36-28-GY** 36C 0.05in 28AWG stranded
- RC-C40-28-GY** 40C 0.05in 28AWG stranded
- RC-C50-28-GY** 50C 0.05in 28AWG stranded
- RC-C68-28-GY** 68C 0.025in 28AWG stranded



COMMUNICATIONS CABLE

Conductored Computer Cable

Shaxon's UL2464 conductored computer cable features a mylar shield and stranded, inner conductors.

24AWG Cable with Mylar Shield

For RS232, VGA, mouse and keyboard

Replace X with 1 for black, 3 for gray

- PMC0424MSX** 4 conductor
- PMC0624MSX** 6 conductor
- PMC0924MSX** 9 conductor
- PMC1524MSX** 15 conductor
- PMC2524MSX** 25 conductor



26AWG Cable with Mylar Shield

For RS232, VGA, mouse and keyboard

Replace X with 1 for black, 2 for beige, or 3 for gray

- PMC0426MSX** 4 conductor
- PMC0626MSX** 6 conductor
- PMC0926MSX** 9 conductor
- PMC1526MSX** 15 conductor
- PMC2526MSX** 25 conductor



28AWG Cable with Mylar Shield

For RS232, VGA, mouse and keyboard

Replace X with 1 for black, 2 for beige, or 3 for gray

- PMC0628MSX** 6 conductor
- PMC0928MSX** 9 conductor



USB 2.0 CABLE

Shaxon's bulk USB 2.0 cable features a pair of stranded 28AWG wire and two 24AWG conductors plus a braided shield and mylar shield.

- PMUSB20BG** USB 2.0 cable, beige
- PMUSB20BK** USB 2.0 cable, black



IEEE 1394 FIREWIRE CABLE

PMFWBG

IEEE 1394 stranded 1-pair + 1 conductor 28AWG and 1-pair + 2 conductors 22AWG with mylar and braid shield, beige

SVGA CABLE

P3P45283CXBS1

4.5-pair 28AWG + 3 coax 28AWG cable with mylar shield, black

KVM CABLE

For video, mouse and composite keyboard

PMEHNBGUL

3 coax + 3-pair SVGA (center) + (2) 6C, 26AWG, beige



FLAT SATIN PHONE CABLE

Shaxon's flat satin phone cable can be used to manufacture phone cords, custom cable assemblies and other related products. We feature a wide selection of cable types as well as the ability to custom produce to special requirements. **Standard put-up: 1000ft reels**

UL LISTED FLAT SATIN PHONE CABLE

Shaxon's UL listed phone cable features 26AWG, 7-strand conductors and a PVC jacket.

Silver Satin PVC Stranded, 26AWG

- UL300-4** UL 4 conductor
- UL300-6** UL 6 conductor
- UL300-8** UL 8 conductor
- UL300-10** UL 10 conductor



White Satin PVC Stranded, 26AWG

- UL300-4WT** UL 4 conductor
- UL300-6WT** UL 6 conductor
- UL300-8WT** UL 8 conductor



Black Satin PVC Stranded, 26AWG

- UL300-4BK** UL 4 conductor
- UL300-6BK** UL 6 conductor
- UL300-8BK** UL 8 conductor



UL LISTED FLAT SATIN SHIELDED PHONE CABLE

Shaxon's shielded UL listed phone cable features 26AWG, 7-strand conductors, a mylar shield, 22AWG annealed drain wire and a PVC jacket.

Silver Satin PVC Stranded, Shielded, 26AWG

- UL300-31** UL 3C + drain, mylar shield
- UL300-51** UL 5C + drain, mylar shield
- UL300-71** UL 7C + drain, mylar shield
- UL300-81** UL 8C + drain, mylar shield
- UL300-91** UL 9C + drain, mylar shield



Black Satin PVC Stranded, Shielded, 26AWG

- UL300-31BK** UL 3C + drain, mylar shield
- UL300-51BK** UL 5C + drain, mylar shield
- UL300-71BK** UL 7C + drain, mylar shield



FLAT SATIN PHONE CABLE

Shaxon's non-UL ER328-series phone cable features 28AWG, 7-strand conductors and a PVC jacket.

Silver Satin PVC Stranded, 28AWG

- ER328-4** 4 conductor
- ER328-6** 6 conductor
- ER328-8** 8 conductor



NEED CUSTOM CABLE?

Shaxon can manufacture flat satin phone cable in custom colors, color codes and jacket printing. Minimums may apply. Contact your sales representative for a quote on your specific need, or fax your requirement to **(800) 345-5106**.

SHIPPING POLICY:

FOB point: All orders are shipped FOB origin point unless pre-approved for FOB destination.

Shipping method: Unless specified at time of order, all shipments will be shipped pre-paid via the cheapest method or freight depending on the weight of the shipment.

Shipping Discrepancies: It is the buyer's responsibility to confirm the receipt of all items as indicated on the packing slip. Failure to report shipping discrepancies within ten (10) days of receipt will result in the order not being credited regardless of circumstances.

RMA POLICY:

All returns must have a Return Merchandise Authorization (RMA) number, must be in original condition and must be requested within thirty (30) days from the date of purchase. Any return for any reason other than defects or shipping discrepancies will be charged a fifteen percent (15%) restocking fee. Please note that CUSTOM CABLE ASSEMBLIES/CUSTOM PRODUCTS ARE NON-RETURNABLE AND NON-CANCELABLE.

INVOICE:

Invoice Receipt: In the event that the buyer does not receive any invoice by mail after ten (10) days upon receipt of shipment, the buyer shall request the invoice via registered mail, email or fax within fifteen (15) days of the billing date. Otherwise the invoice will be considered correct, full payment shall be fulfilled.

Terms Invoices: All N30 (Net 30) invoices are due thirty (30) days from shipping. All invoices become delinquent after (30) thirty days from date of shipping. As a condition of the sales agreement, a monthly finance charge of the lesser of one and a half percent (1.5%) per month or the maximum permitted by law will be added to all past due invoices until paid in full. All past due accounts over forty-five (45) days will be placed on hold until the balance is paid in full.

VENUE:

Shaxon Industries, Inc. sustains security interest on the merchandise stated above. Venue shall lie in Orange County, California, and the rights and obligations of the parties hereto shall be enforced in the state of California.

WARRANTY POLICY:

Warranty: Shaxon Industries, Inc. provides a lifetime (of the product) guarantee against defects and labor on all custom and off the shelf cables. Please note that CUSTOM CABLE ASSEMBLIES/CUSTOM PRODUCTS ARE NON-RETURNABLE AND NONCANCELABLE. Before using, buyer shall determine the suitability of the product for their intended use; buyer assumes all risks and liability in connection therewith. This warranty is not inclusive of labor for removal or reinstallation of products, and is void on any product reconfigured, installed improperly or installed in an improper environment, or misused as determined by engineering inspection of Shaxon Industries, Inc.

PAYMENT POLICY:

Shaxon Industries, Inc. accepts Visa, MasterCard, Discover, American Express, Checks and Money Orders. We do not add any credit card surcharges. Open account terms are available to qualifying resellers only - please contact your Account Manager at (800) 345-8295 for additional information.

LIMITATION OF LIABILITY:

IN NO EVENT SHALL SHAXON INDUSTRIES, INC., ITS SUBSIDIARIES OR AFFILIATES OR THEIR RESPECTIVE PARTNERS, OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, REPRESENTATIVES OR AGENTS (COLLECTIVELY, "SHAXON INDUSTRIES, INC.") BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR INDIRECT DAMAGES (INCLUDING BUT NOT LIMITED TO: LOSS OF DATA, USE OR PROFITS), HOWEVER CAUSED, WHETHER FOR BREACH OF CONTRACT, NEGLIGENCE, OR OTHERWISE, AND WHETHER OR NOT SHAXON INDUSTRIES, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF ANY SUCH DAMAGES; YOU AGREE THAT SHAXON INDUSTRIES, INC., MAXIMUM LIABILITY FOR CERTAIN DAMAGES, SO THE ABOVE MAY NOT APPLY TO YOU TO THE EXTENT SUCH JURISDICTION'S LAW IS APPLICABLE TO THIS AGREEMENT.

Trademarks are the property of their respective owners.

©2017 Shaxon Industries, Inc. All rights reserved. The information in this document is subject to change without notice.